

STRAIGHT LINE METAL BUILDINGS



SIGNATURE® 200

Standard Colors

**SILICONIZED
POLYESTER**

Polar White is a Straight Polyester.

- Final color selection should be made from actual color chips.
- For the most current information available, visit our website at www.straightlinebuildings.net.
- See product selection chart for gauge and color availability.
- Trim available in all colors.
- All Signature® 300 are low gloss colors.
- A 40-year limited paint warranty available for all colors upon written request except for Crimson Red, please inquire. (Outside the continental United States, please inquire.) Crimson Red is offered with a 3-year warranty on roof panels and 3-year on sidewall panels.
- Signature® is a registered trademark of NCI Group, Inc. KYNAR 500® is a registered trademark of Arkema, Inc. HYLAR 5000® is a registered trademark of Solvay Solexis.

† Except Crimson Red, which contains more than 0.06 percent lead, none of the other colors shown are lead-containing paints under 13 CFR 1303. Crimson Red should only be used for applications which comply with federal, state and local regulations for lead-containing paint.



POLAR WHITE
SR 0.60 SRI 71



LIGHT STONE
SR 0.50 SRI 57




SADDLE TAN
SR 0.48 SRI 55



DESERT SAND
SR 0.42 SRI 47



ASH GRAY
SR 0.47 SRI 55



BRIGHT WHITE
SR 0.71 SRI 86



CHARCOAL GRAY
SR 0.27 SRI 26



FERN GREEN
SR 0.27 SRI 26



HAWAIIAN BLUE
SR 0.32 SRI 32



GALLERY BLUE
SR 0.27 SRI 26



CRIMSON RED
SR 0.33 SRI 34



RUSTIC RED
SR 0.36 SRI 38



BERRY
SR 0.30 SRI 27



COCOA BROWN
SR 0.28 SRI 27



BURNISHED SLATE
SR 0.28 SRI 27



BLACK
SR 0.30 SRI 30



SIGNATURE® 300

Standard Colors

**KYNAR 500®
HYLAR 5000®**

26 GAUGE MATERIAL
PBR, PBU, PBA, PBC, PBD Panels only
Low Gloss Colors



GALVALUME
Clear Acrylic Coating



MEDIUM BRONZE
SR 0.30 SRI 31



SLATE GRAY
SR 0.18 SRI 15



ALMOND
SR 0.55 SRI 64



CLASSIC GREEN
SR 0.28 SRI 27



BROWNSTONE
SR 0.38 SRI 40



REGAL RED
SR 0.44 SRI 49



REGAL BLUE
SR 0.26 SRI 24

STRAIGHT LINE METAL BUILDINGS










32916 FM 529
Brookshire, Texas 77423
Phone: 281.375.2020
Fax: 281.375.2525




For the most current information available, visit our website at www.straightlinebuildings.net

STRAIGHT LINE METAL BUILDINGS




PANEL PROFILE	PANEL	29 GAUGE		26 GAUGE			24 GAUGE			22 GAUGE		
		Galvalume Plus	Sig 200	Galvalume Plus	Sig 200	Sig 300	Galvalume Plus	Sig 200	Sig 300	Galvalume Plus	Sig 200	Sig 300
	PBR	•	■	•	•	■	•	■	■	•	■	■
	PBU	•	■	•	•	■	•	■	■	•	■	■
	PBC	•	■	•	•	■	•	■	■	•	■	■
	PBD	•	■	•	•	■	•	■	■	•	■	■
	7.2	•	■	•	■	■	•	■	■	•	■	■
	AVP	•	■	•	•	■	•	■	■	•	■	■
	5V Crimp	•	■	•	■	■	•	■	■	•	■	■

● Available in any quantity
■ May require minimum quantity



AVAILABLE ACCESSORIES

- Hat and Channel Sections
- Light Transmitting Panels
- Vent
- Roof Jacks
- Fasteners
- Ridge Caps
- Closures
- Doors
- Windows
- Sealants
- Insulation
- Bracing
- Bolts
- Louvers
- Sliding Door Hardware



What is Solar Reflectivity (SR)?

Solar reflectivity or reflectance is the ability of a material to reflect solar energy from its surface back into the atmosphere. The SR value is a number from 0 to 1.0. A value of 0 indicates that the material absorbs all solar energy and a value of 1.0 indicates total reflectance. Energy Star requires an SR value of 0.25 or higher for steep slope (above 2:12) roofing and an SR value of 0.65 or higher for the low slope (2:12 or less) roofing. For more information, please visit our website www.straightlinebuildings.net



What is Solar Reflectance Index (SRI)?

The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. Emissivity is a material's ability to release absorbed energy. To meet LEED requirements, a roofing material must have an SRI of 29 or higher for steep slope (above 2:12) roofing and an SRI value of 78 or higher for low slope (2:12 or less) roofing. For more information, please visit our website www.straightlinebuildings.net

SIGNATURE® 200 SILICONIZED POLYESTER

	SR#	SRI#
POLAR WHITE	0.60	71
LIGHT STONE	0.50	57
SADDLE TAN	0.48	55
DESERT SAND	0.42	47
ASH GRAY	0.47	55
BRIGHT WHITE	0.71	86
CHARCOAL GRAY	0.27	26
FERN GREEN	0.27	26
HAWAIIAN BLUE	0.32	32
GALLERY BLUE	0.27	26
CRIMSON RED	0.33	34
RUSTIC RED	0.36	38
BERRY	0.30	27
COCOA BROWN	0.28	27
BURNISHED SLATE	0.28	27
BLACK	0.30	30

SIGNATURE® 300 KYNAR 500® / HYLAR 5000®

	SR#	SRI#
GALVALUME		
MEDIUM BRONZE	0.30	31
SLATE GRAY	0.18	15
ALMOND	0.55	64
GREEN	0.28	27
BROWNSTONE	0.38	40
REGAL RED	0.44	49
REGAL BLUE	0.26	24